Notice of Allowability	Application No.	Applicant(s)	
	10/046,480	SHIRAIWA, YOSHI	NORLI
	Examiner	Art Unit	
	Beniyam Menberu	2625	
			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>July 9, 2004</u> .			
2. The allowed claim(s) is/are <u>63-66 and 68-71</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 09/062,552. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
			o
Attachment(s)			•
1. Notice of References Cited (PTO-892)		ormal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Su Paper No./N	mmary (PTO-413), Mail Date	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 11/8/04, 7/9/04		Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		Statement of Reasons for Allo	wance
9. ☐ Other <u>·</u> .			
Kindra a. Williams			
KIMBERLY WILLIAMS SUPERVISORY PATENT EXAMINER			

Reasons for Allowance

- 1. Claims 63-66 and 68-71 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

In addition to the teachings of the claims 63, 70, and 71 as a whole, the closest prior art of record failed to teach or suggest,

"a display control section for controlling display, in a display unit, so that a user may confirm whether or not reproduction of the one or more images is to be performed, the display unit displaying thumbnail images corresponding to the images stored in the detachable memory, wherein the displayed thumbnail images include at least one indicium to distinguish between images that have been designated by the reproduction instruction file for reproduction and images that have not been designated by the reproduction instruction file for reproduction; and

an operation section for starting the reproduction in accordance with input from a user and for performing the reproduction of the one or more images to be reproduced after confirmation by the user that the one or more images specified by the reproduction instruction file and which display the at least one indicium are to be reproduced, wherein, in the confirmation, the one or more thumbnail images are reproduced as image data to be displayed "

Application/Control Number: 10/046,480

Art Unit: 2625

Therefore, claims 64-66 and 68-69 are allowable for depending on claims 63, 70, and 71.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Other Prior Art Cited

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - U.S. Patent No. 5784149 to Kawaoka discloses image processing for films.
 - U.S. Patent No. 6867879 to Sasaki et al disclose image printing.
 - U.S. Patent No. 6937356 to Ito et al disclose digital camera with memory.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Beniyam Menberu whose telephone number is (571) 272-7465. The examiner can normally be reached on 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached on (571) 272-7471. The fax phone

Application/Control Number: 10/046,480

Art Unit: 2625

Page 4

number for the organization where this application or proceeding is assigned is **571- 273-8300**.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the customer service office whose telephone number is (571) 272-2600. The group receptionist number for TC 2600 is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see . Should you have questions on access to the Private PAIR system, contact the 'Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner

Beniyam Menberu BM 11/09/2006

Kimberly a. Williams

KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER